

Hotel Absorption Minibar 25L



- ★Door Type: Solid
- ★Volume: 25L
- ★Net Weight: 14.2Kg
- ★Gross Weight: 16.3KG
- ★Temperature Range: 0-8°C
- ★Package: (L) 480* (W) 460* (H) 545mm
- ★Dimensions: 380*400*480mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Power Consumption: 0.8KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified



- ★Door Type: Glass
- ★Volume: 25L
- ★Net Weight: 15.8Kg
- ★Gross Weight: 17.9KG
- ★Temperature Range: 4-12°C
- ★Package: (L) 480* (W) 460* (H) 545mm
- ★Dimensions: 375*400*480mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Power Consumption: 0.9KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified

Hotel Absorption Minibar 30L



- ★Door Type: Solid
- ★Volume: 30L
- ★Net Weight: 14.4Kg
- ★Gross Weight: 16.5KG
- ★Temperature Range: 0-8°C
- ★Package: (L) 480* (W) 460* (H) 545mm
- ★Dimensions: 420*400*480mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 0.8KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified



- ★Door Type: Glass
- ★Volume: 30L
- ★Net Weight: 16.1Kg
- ★Gross Weight: 18.2KG
- ★Temperature Range: 4-12°C
- ★Package: (L) 480* (W) 460* (H) 545mm
- ★Dimensions: 415*400*480mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 0.9KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified

Hotel Absorption Minibar 40L



- ★Door Type: Solid
- ★Volume: 40L
- ★Net Weight: 14.4Kg
- ★Gross Weight: 16.5KG
- ★Temperature Range: 0-8°C
- ★Package: (L) 480* (W) 460* (H) 545mm
- ★Dimensions: 420*400*480mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 0.8KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified

- ★Door Type: Glass
- ★Volume: 40L
- ★Net Weight: 18.2Kg
- ★Gross Weight: 20.3KG
- ★Temperature Range: 4-12°C
- ★Package: (L) 500* (W) 460* (H) 610mm
- ★Dimensions: 435*400*550mm
- ★Rated Power: 65W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 0.9KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified



Hotel Absorption Minibar 60L



- ★Door Type: Solid
- ★Volume: 60L
- ★Net Weight: 18.5Kg
- ★Gross Weight: 20.5KG
- ★Temperature Range: 0-8°C
- ★Package: (L) 580* (W) 550* (H) 630mm
- ★Dimensions: 517*485*560mm
- ★Rated Power: 85W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 1KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified



- ★Door Type: Glass
- ★Volume: 60L
- ★Net Weight: 20.8Kg
- ★Gross Weight: 21.5KG
- ★Temperature Range: 4-12°C
- ★Package: (L) 580* (W) 550* (H) 630mm
- ★Dimensions: 495*485*560mm
- ★Rated Power: 85W
- ★Voltage/ Frequency: AC220/100/110V 50/60Hz
- ★Cable length: 1.6m
- ★Power Consumption: 1KW.h/24H
- ★Color: dark gray, black, ivory, silver or specified

Introduction

- ★Electronic thermostat, Intelligent automatic defrosting system controlled by an IC chip.
- ★II Generation of absorption cooling technique, totally noiseless when working.
- ★Foaming with clopentine (C5H10), a CFC Free thermal insulation with ultra cooling efficiency.
- ★Over-head light design, low rated power LED light (magnet sensor)
- ★100% antibacterial removable soft PVC door seal.
- ★HIPS antibacterial liner to dispel the odor and keep the original taste.
- ★Concealed thermal regulator for convenient adjustment
- ★2 shelves
- ★easy-opened doorknob
- ★Reversible door Opening Available
- ★Lock and Key
- ★Door Open Indicator

Hotel Phone



QL-2000-B



QL-2001-B

Model	Box size	Carton size	pcs/carton	Net weight	Gross weight
QL-2000	23.2*21.8*6.6CM	48.5*46.5*36.5CM	20	1.2KG	23.00KG
QL-2001	22.6*9.5*7.0CM	47*40.5*37CM	40	0.4KG	16.9KG
QL-2003	23*22.1*7.1CM	47.3*36*45.1CM	20	1.1KG	22.95KG
QL-2005	23*22.1*7.1CM	47.3*36*45.1CM	20	1.1KG	22.95KG
QL-2009	24.5*15*5.5CM	61.8*29.3*26.5CM	20	0.58KG	11.7KG
QL-2012	25*23.1*8.0CM	51.5*48.2*42.5CM	20	0.899KG	18.9KG



QL-2003-W



QL-2005-W



QL-2009-B



QL-2012-B

STANDARD FEATURES:

- ★Surface mount technology with CPU control
- ★Customizable faceplate
- ★0-10 programmable memory button
- ★High quality plastic casing
- ★High immunity to electro-magnetic radiation
- ★Robust design with high reliability
- ★Adjustable flash-hook timer
- ★Speakerphone volume control
- ★Redial
- ★Hold
- ★Hands-free
- ★Data port
- ★Desk or wall-mount

Hotel Cable holder



STANDARD FEATURES :

- ★Easy to identify a high-speed Internet customers for indoor access points.
- ★Solve the problem of cable management and reduce wiring confusion, loss of cable.
- ★Space has a trademark, trademark ease of printing, display image of the hotel.
- ★To set up Internet facilities in the room to provide a value-added.
- ★Daily use of the Internet.
- ★High-quality base for the beautiful rooms to enhance a sense of the desktop.
- ★Allow the cable to move freely.
- ★Elegant aesthetics and sleek design Coordination with a variety of hotel decoration
- ★With high-speed reliable CAT5 1.5MM cable

Hotel Hair dryer



Material + color	ABS/white
Voltage	110V/220V/50HZ/60HZ
Power	1200W
Dimension (L*W*H /mm)	180*240*90
Product weight/ kg	0.85
Net weight (packed) /kg	20.40
Gross weight(packed) /kg	22.00
Carton dimension L*W*H/cm	61*40*54
pcs/ctn	24
Support AC/DC power or not	yes

Introduction

- ★ 1200watts of power.
- ★ The handel is with micro switch, to make sure can keep safe. When holding the handel, it works. When releasing, it will stop working.
- ★ Two speed and heat setting by push and down.
- ★ Quiet and long life motor.
- ★ Available for wall-mounted and drawer-kept.
- ★ Very popular used in hotel and other places.
- ★ With auto over-heating protection system.